

Lista de Precios: Bienes

Fecha: 20 de octubre 2010
LPI No: LPN-BID-004-2010
Alternativa No: N/A
Página N° 1 de 4

1	2	3	4	5	6	7	8	9
N° de Lote	N° de Artículo	Descripción de los Bienes	País de Origen	Fecha de entrega según definición de Inconterms	Cantidad y unidad física	Precio unitario	Precio total DDP por artículo (col 6 x 7)	Garantía del Bien
Treinta (30) PCs + Monitores + Workcenters								
1		Computadoras (PCs)	USA	30 dias	30	1,006.47	30,194.10	3 años
		Modelo HP Compaq elite 8000 Ultra-Slim Desktop PC						
		Part Number AU248AV Config ID 8704405						
		Form Factor Ultra-slim desktop						
		Sistema Operativo Microsoft Windows 7 Professional 64-bit en inglés						
		Procesador Intel® Core™2 Duo E7500 processor 2.93 GHz						
		Chipset Intel Q45 Express						
		Memoria 4GB (2 x 2GB) 1333 MHz DDR3 SDRAM						
		Hard drive 160GB 7200 rpm SATA 3.0 Gb/s NCQ						
		Optical Drive Slim 8X SATA Super Multi LightScribe DVD+/-RW						
		Graphics cards Integrated ATI Radeon HD4200						
		Audio Integrated High Definition audio with ADI1884 codec (all ports are stereo) internal speaker						
		Input device USB 2-button optical scroll mouse						
		Keyboard USB standard keyboard						
		Network interface Intel 82567LM Gigabit Network Connention						
		Power 135W 87% efficient external power supply – active PFC						
		Garantía Tres (3) años en piezas y servicios.						
		Monitor						
		Modelo HP Compaq LE1711 17 Inches LCD Monitor						
		Part Number EM886AA#ABA						
		Display type Active matrix TFT						
		Tipo Flat Panel Monitor 17" (17 pulgadas)						
		Garantía Tres (3) años en piezas y servicios.						
		WorkCentre						
		Modelo HP Integrated Work Center Stand – Monitor/Desktop Stand						
		Cantidad Treinta (30) Work Centers Stands						
		Part Number GN783AA						
		Dimensions (W x D x H) 6.3 x 5.2 x 0.65 in (16.0 x 13.2 x 1.65 cm)						
		Weight (peso) 0.82 lb (0.37 kg)						
		Garantía Conforme al fabricante						
2		Computadoras Portatiles (Laptops)	USA	30 dias	91	1,152.75	104,900.25	3 AÑOS
		HP Compaq 6550b Notebook Pc						
		Part Number BW671US * reemplaza al modelo FN086UT#ABA descontinuado						
		Sistema Operativo Microsoft Windows 7 Professional with downgrade to Windows® XP Professional custom installed						
		Procesador Intel® Core™ i5-450M Processor (2.4 GHz, 3 MB L3 cache, 64bit)						
		Chipset Mobile Intel® HMS7 Express						
		Memoria 4 GB 1333 MHz DDR3 SDRAM						
		Memory slots 2 SODIMM						
		Disco Duro 320 GB - Serial ATA-300-7200 rpm						
		Optical Drives DVD+/-RW (+/- R DL) / DVD-RAM - integrated with LightScribe Technology						
		Tamaño pantalla 15.6" TFT 1366 x 768 (WXGA)						
		Gráficos Intel® HD Graphics						
		Audio High Definition Audio, stereo speakers, stereo headphone/line out, stereo microphone in, integrated dual-microphone array						
		Ports External:						

Lista de Precios: Bienes

Fecha: 20 de octubre 2010
LPI No: LPN-BID-004-2010
Alternativa No: N/A
Página N° 1 de 4

1	2	3	4	5	6	7	8	9	
N° de Lote	N° de Artículo	Descripción de los Bienes	País de Origen	Fecha de entrega según definición de Inconterms	Cantidad y unidad física	Precio unitario	Precio total DDP por artículo (col 6 x 7)	Garantía del Bien	
L o t e 1		4 USB 2.0 / 1 1394a / 1 DisplayPort / 1 external VGA monitor							
		1 stereo microphone in / 1 stereo headphone/line-out							
		1 AC power / 1 RJ-11 / 1 RJ-45 / 1 docking connector / 1 secondary battery connector							
		Slots 1 Express Card/54 / 1 Media Card Reader							
		Integrated Intel 82577LM Gigabit Network Connection (vPro), (10/100/1000 NIC)							
		Modem MDC - 56 Kbps / Wireless Intel WIFI Link 5100							
		Battery 6-cell (55 WHr) Li-Ion battery							
		Power supply External 65-watt Smart AC adapter (integrated graphics);							
		External 90-watt Smart AC adapter (discrete graphics); HP Fast Charge							
		Garantía (Warranty) Tres (3) años, Three-year standard parts and labor warranty							
		3	Bulto Maletín	USA	30 días	91	13.53	1,230.83	N/A
			AJ078AA Value Nylon Case						
		4	Factory Express en Total (182)						
			Part Number: ZG416AV	USA	30 días	91	11.13	1,012.83	N/A
			Factory Express Pad Printing: para impresión de Logo de la DGII en chasis de la portatil						
			Part Number: DP030AV	USA	30 días	91	14.31	1,302.21	N/A
			Electronic Asset Tag: Pegado de etiqueta en el chasis de la						
			Portátil con el Número de Activo Fijo, Logo de la DGII, y el numero de serie del equipo						
		5	Impresora HP Laserjet M4345x MFP	USA	30 días	2	3,646.17	7,292.33	1 AÑOS
			Part Number CB426A						
			Print speed, black Up to 45 ppm / (normal quality mode)						
			First page out (black) As fast as 10 sec						
			Monthly duty cycle Up to 200000 pages						
			Recommended monthly print volume: 5000 to 20000 pages						
		Print technology Laser							
		Print resolution, black Up to 1200 x 1200 dpi (with HP FastRes 1200)							
		Paper handling optional,input:							
		Optional two 500-sheet input trays (4, 5); 75-sheet envelope feeder							
		Paper handling optional,input:							
		Optional 500-sheet stacker/30-sheet stapler; 700-sheet 3-bin mailbox; stand with storage cabinet							
		Paper handling standard,input							
		100-sheet multipurpose tray, two 500-sheet input trays (2, 3),							
		50-sheet ADF, automatic two-sided printing accessory							
		Paper handling standard,output: 500-sheet output bin							
		Envelope capacity Up to 75 envelopes							
		Envelope feeder Yes, 75 (with the purchase of an optional envelope feeder)							
		Duplex printing (printing on both sides of paper) Automatic (standard)							
		Document finishing Sheetfed							
		Media sizes, standard: Letter, legal, executive, statement, 8.5 x 13 in, envelopes (No. 10, commercial)							
		Media sizes, custom: Tray 1, optional 3-bin mailbox or stacker part of							
		stapler/stacker: 3 x 5 to 8.5 x 14 in; Tray 2, optional Tray 3, 4,							
		5: 5.8 x 8.3 to 8.5 x 14 in; custom sizes not supported on							
		optional automatic two-sided printing accessory, envelope feeder, stapler							
		Media types: Paper (plain, preprinted, letterhead, prepunched, bond,							
		recycled, color, rough), transparencies, labels, envelopes, card stock							
		Media weight: Tray 1, optional stacker: 16 to 53 lb; Tray 2, optional 500-sheet							
		input tray, optional automatic two-sided printing accessory,							
		optional stapler: 16 to 32 lb; optional envelope feeder: 20 to 28 lb							
		Product weight 120.33 lb / Processor speed 480 MHz							

Lista de Precios: Bienes

Fecha: 20 de octubre 2010
LPI No: LPN-BID-004-2010
Alternativa No: N/A
Página N° 1 de 4

1	2	3	4	5	6	7	8	9
N° de Lote	N° de Artículo	Descripción de los Bienes	País de Origen	Fecha de entrega según definición de Inconterms	Cantidad y unidad física	Precio unitario	Precio total DDP por artículo (col 6 x 7)	Garantía del Bien
		Memory, standard 256 MB / Memory, maximum 512 MB						
		Print languages, standard HP postscript level 3 emulation, PCL 5, PCL 6, PDF 1.4						
		Scanner type Flatbed, ADF						
		Scan resolution, optical Up to 600 x 600 dpi / Bit depth 30-bit						
		Scan size, maximum (flatbed): 8.9 x 11.9 in / Scan size, maximum (ADF) 8.5 x 14 in						
		Scan speed (default) Up to 45 ppm						
		Digital sending features Send to e-mail, send to network folder, LDAP and SMTP authentication, LDAP addressing						
		Supported file formats PDF, TIFF, JPG, MTIFF						
		Connectivity, standard 1 Hi-Speed USB 2.0 port (type B); 1 Foreign interface harness (FIH) port; 1 EIO slot; 1 Network port (integrated HP Jetdirect						
		Fast Ethernet print server); 1 Fax connection						
		Warranty One-year, on-site limited warranty						
		Subtotal LOTE 1					145,932.55	
	6	Proyector (Datashow): Viewsonic PJD6211	USA	30 dias	5	1,164.02	5,820.09	3 AÑOS
		Type 1.4 cm / 0.55" Digital Micromirror Device (DLP)						
		Resolution XGS 1024x768 (Native) / SXGA 1280x1024 (compressed)						
		Lens 1.2x Manual Optical Zoom / Manual optical focus						
		Keystone Vertical Digital keystone correction +/- 40 degrees						
		Display size 0.8m - 7.6m (30" - 300")						
		Throw Distance 1.2m-10m / 3.9ft.-32.8ft. / Throw Ratio 1.6:1 - 1.9:1						
		Lamp type 180 watt (RLC-050) / Lamp life (normal/eco-mode) 4000/5000 hrs						
		Lamp life (normal/eco-mode) 4000/5000 hrs						
		Brightness 2,500 Lumens						
		Input Signal						
		Computer and Video NTSC M (3.58MHz), 4.43MHz, PAL (B, D, G, H, I, M, N, 60), SD 480i and 576i (24fps, 25fps and 30fps), ED 480p and 576p (24fps, 25fps and 30fps), HD720p, 1080i (24fps, 25fps and 30fps)						
		Frequency Fh: 31~100kHz, Fv: 50~120Hz						
		Power						
		Voltage 90~240VAC (Auto Switching), 50/60Hz (universal)						
		Consumption 235W (Typical) / <1W (stand-by mode)						
		Connector						
		Audio Input 1 x 3.5mm mini jack / Audio Out 1 x 3.5mm mini jack						
		RGB Input 2 x 15-pin mini D-sub / Composite Input 1 x RCA jack						
		S-Video Input 1 x 4-pin mini-DIN / RGB Output 1 x 15-pin mini D-sub						
		Control 1 x RS-232 (9 Pin D-sub) / USB 1 x type B						
		Garantía: Tres (3) años; 3-year limited warranty on parts, 1-year limited warranty on lamp, 1st year Express Exchange® service.						
		Universal Ceiling mount Kit						
		Part Number WMK-005						
		ViewSonic WMK-005 - Mounting kit (ceiling mount) for projector - ceiling mountable						
		Pantalla Eléctrica Para Proyección KPS-501						
		Klip Electric Projector Screen, Ceiling Mounted with Remote Control						
		Dimensiones 68 pulgadas x 52 pulgadas						
		Color surface Matte White Fabric						
		Screen type Electric (Pantalla eléctrica)						
		Projection Type Front						
		Mount Type Ceiling (techo)						
		Remote Control Remote control Included (Incluir Control Remoto) and auto lock						
		Además utilización de switch para						

Lista de Precios: Bienes

Fecha: 20 de octubre 2010 LPI No: LPN-BID-004-2010 Alternativa No: N/A Página N° 1 de 4								
1	2	3	4	5	6	7	8	9
N° de Lote	N° de Artículo	Descripción de los Bienes	País de Origen	Fecha de entrega según definición de Inconterms	Cantidad y unidad física	Precio unitario	Precio total DDP por artículo (col 6 x 7)	Garantía del Bien
		Aplicación Aulas de capacitación.						
		Garantía One (1) year; Un (1) año.						
		Servicio de Instalación de El Proyector, la base y la pantalla incluido						
Subtotal LOTE 2							5,820.09	
L O T E 4	12	UPS monofásico de 16Kva.	USA	30 dias	1	17,506.80	17,506.80	3 años
		SYA16K16PXR APC Symmetra LX 16Kva Scalable to 16Kva n+1,						
		Ext. Run Tower, 208/240V. UPS Monofásico, con capacidad máxima de 16KVa con redundancia n+1						
		Carga promedio a manejar: 10.02Kva / Runtime con carga 10Kva: 35 minutos						
		Output Power Capacity: 12.8Kw/16KVa / Max Configurable Powe: 12.8Kw/16KVa						
		Output Voltage Note: Configurable for 120/208 or 120/240 output voltage						
		Output Voltage Distortion: Less than 5% at full load / Output frequency: 47 – 63Hz						
		Waveform Type: Sine wave / Output connections: (1) Hard wire 4-wire (2Ph + N + G)						
		Normal Input Voltage: 208V / Input Frequency: 45 – 65Hz						
		Input connections: Hard Wire 4-wire (2Ph + N + G)						
		Input Voltage range for main Op.: 96 – 138 (Line to Neutral)V						
		Battery Type: Maintenance-free sealed Lead-Acid / battery with suspend electrolyte: leakproof.						
		Garantía: tres (3) años en piezas y servicios. On site WUPGONSITEFW-SY-16 X 2						
		WONSITEBND-SY-16						
	Instalación: Servicio de StartUp e Instalación a 3 pies del panel eléctrico en Santo Domingo.							
	WSTRUP5X8-SY-16							
Subtotal LOTE 4							17,506.80	
Total General US\$							169,259.44	

* PRECIOS DDP en Destino Final con exoneración de ITBIS

Nombre del Licitante: Unitec Dominicana Firma del Licitante *Milagros Dominguez B.* Fecha 20 de OCTUBRE del 2010